



































HAND SAWS

22 5254		Bow frame saw			New prices valid from 1.8.2015	
	L (mm)	V (mm)	Pcs in packing	EUR		
	530	200	12	3,3		
	610	215	12	3,6		
	760	230	12	3,9		
	800	240	12	4,1		
	914	250	12	4,5		
22 5244.1		Blade for bow frame saw				
	L (mm)	H (mm)	S (mm)	Pcs in packing	EUR	
	533	20	0,7	50	1,1	
	610	20	0,7	50	1,3	
	760	20	0,7	50	1,5	
	800	20	0,7	50	1,6	
	900	20	0,7	50	1,8	
	914	20	0,7	50	1,8	
	1000	20	0,7	50	1,9	
22 5251		Small bow frame saw				
	L (mm)	V (mm)	Pcs in packing	EUR		
	500	195	12	3,2		
22 5249.1		Blade for small bow frame saw				
	L (mm)	H (mm)	S (mm)	Pcs in packing	EUR	
	500	18	0,7	50	1,0	
22 5263		Barring garden saw with tensioning lever				
	L (mm)	V (mm)	Pcs in packing	EUR		
	300	163	20	4,0		
22 5267		Barring garden saw with tensioning lever and tube for stick				
	L (mm)	V (mm)	Pcs in packing	EUR		
	300	160	10	3,7		
22 5265		Pruning garden saw				
	L (mm)	V (mm)	Pcs in packing	EUR		
	300	143	10	2,7		
		Spare saw blades for garden saws				
	L (mm)	H (mm)	T (mm)	Pcs in packing	EUR	
22 5260		300	15	5	100	0,8
22 5261		300	15	4	100	0,7
22 5262.15		300	15	5	100	0,6
22 5264		Pruning garden saw				
	L (mm)	V (mm)	Pcs in packing	EUR		
	165	58	10	1,4		
22 5264.1		Spare saw blades for pruning garden saw				
	L (mm)	H (mm)	T (mm)	Pcs in packing	EUR	
	165	7,5	2	100	0,4	




L - length of the blade, V - height of the saw, H - width of the blade, S - thickness of the blade, T - cutting-edge spacing

22 5296 	Folding pruning saw				
	L (mm)	S (mm)	T (mm)	Pcs in packing	EUR
	170	1,3	3,6	10	3,1
22 5297.1 	Pruning saw				
	L (mm)	H (mm)	T (mm)	Pcs in packing	EUR
	300	1,2	3,6	10	3,3
22 5299 	Pruning saw with tube for a stick				
	L (mm)	S (mm)	T (mm)	Pcs in packing	EUR
	300	1,2	5	10	2,8
22 2956 	Hacksaw frame				
	L (mm)	V (mm)		Pcs in packing	EUR
	300	115		5	3,3
22 2957 	Hacksaw – ALU Profil				
	L (mm)	V (mm)		Pcs in packing	EUR
	300	158		5	5,3
	Hand hacksaw blades				
	Dimensions (mm)		Teeth per inch	Pcs in packing	EUR
22 2950 HSS single-sided 	300 x 13 x 0,65		18	100	0,72
	300 x 13 x 0,65		24	100	0,72
	300 x 13 x 0,65		32	100	0,72
22 2951 HSS double-sided 	300 x 25 x 0,65		18	100	1,30
	300 x 25 x 0,65		24	100	1,30
22 2950 Cr (Alloyed) single-sided 	300 x 13 x 0,65		18	100	0,11
	300 x 13 x 0,65		24	100	0,11
	300 x 13 x 0,65		32	100	0,11
22 2951 Cr (Alloyed) double-sided 	300 x 20 x 0,65		18	100	0,13
	300 x 20 x 0,65		24	100	0,13
	300 x 20 x 0,65		32	100	0,13
	300 x 25 x 0,65		18	100	0,15
	300 x 25 x 0,65		24	100	0,15
22 2950 Bi-Metal 	300 x 13 x 0,65		24	100	0,66
	SET of 3 pcs		24		2,1
	300 x 13 x 0,65				

L - length of the blade, V - height of the saw, H - width of the blade, S - thickness of the blade, T - cutting-edge spacing

 22 5280	Straight back saw				
	L (mm)	S (mm)	T (mm)	Pcs in packing	EUR
	250	0,65	2,05	10	2,5
 22 5281	Back saw with bended handle				
	L (mm)	S (mm)	T (mm)	Pcs in packing	EUR
	250	0,65	2,05	10	2,8
 22 5282	Back saw with toggle handle				
	L (mm)	S (mm)	T (mm)	Pcs in packing	EUR
	250	0,65	2,05	10	3,3
 31 6053	Mitre box				
	L (mm)	H (mm)		Pcs in packing	EUR
	250	97/65		5	2,8
 22 5285 A	Foxtail saw with opened plastic handle				
	L (mm)	S (mm)	T (mm)	Pcs in packing	EUR
	250	0,8	3,15	10	2,3
	315	0,8	3,15	10	2,7
 22 5286.1 A	Foxtail saw with closed plastic handle				
	L (mm)	S (mm)	T (mm)	Pcs in packing	EUR
	300	0,9	3,6	10	2,9
 22 5286.1 A	Foxtail saw with closed two-component plastic handle				
	L (mm)	S (mm)	T (mm)	Pcs in packing	EUR
	400	0,9	3,6	10	4,0
	450	0,9	3,6	5	4,3
	500	0,9	3,6	5	4,5
 22 5286.1 B	Foxtail saw with closed wooden handle				
	L (mm)	S (mm)	T (mm)	Pcs in packing	EUR
	400	0,9	3,6	10	4,4
	500	0,9	3,6	5	4,9
 22 5291.1 A	Keyhole saw with plastic handle				
	L (mm)	S (mm)	T (mm)	Pcs in packing	EUR
	250	1,1	3,2	10	2,5
	315	1,1	3,2	10	2,9
 22 5292	Foxtail saw with three exchangeable blades				
	L (mm)	S (mm)	T (mm)	Pcs in packing	EUR
	250	0,6	2,05	5	5,35
	315	1,2	3,60		
	315	0,8	3,00		
 22 5269	Fret saw frame				
	L (mm)	V (mm)		Pcs in packing	EUR
	120	300		10	1,84
 22 5257	Butcher's saw				
	L (mm)	V (mm)		Pcs in packing	EUR
	450	158		15	5,84
 22 5256	Butcher's saw blade				
	L (mm)	H (mm)	T (mm)	Pcs in packing	EUR
	450	20	2,5	50	1,3

L - length of the blade, V - height of the saw, H - width of the blade, S - thickness of the blade, T - cutting-edge spacing

Foxtail hand saws with carbide tips for cutting porous concrete and insulation boards				
22 5289	Number of teeth	L (mm)	Pcs in packing	EUR
	34 / 17 with carbide tips	630	2	15,8
	34 / 34 with carbide tips	630	2	19,3
				
22 5287	Number of teeth	L (mm)	Pcs in packing	EUR
	22 / 11 with carbide tips	450	5	10,5
	22 / 22 with carbide tips	450	5	12,8
				
22 5288	Number of teeth	L (mm)	Pcs in packing	EUR
	34 without carbide tips - <u>HARDENED TEETH</u>	630	2	13,1
				

L - length of the blade, V - height of the saw, H - width of the blade, S - thickness of the blade, T - cutting-edge spacing