



## HAND SAWS

Prices valid from  
01/2019

5254



### Bow frame saw

Price/ks

L (mm)	V (mm)	pcs in packing	EUR
530	205	12	3,4
610	215	12	3,7
760	230	12	4,0
800	240	12	4,3
914	250	12	4,6

5244.1



### Blade for bow frame saw - green wood

L (mm)	H (mm)	S (mm)	pcs in packing	EUR
530	20	0,67	50	1,1
610	20	0,67	50	1,4
760	20	0,67	50	1,6
800	20	0,67	50	1,7
914	20	0,67	50	1,8
1000	20	0,67	50	1,9

5244.2



### Blade for bow frame saw - dry wood

L (mm)	H (mm)	S (mm)	pcs in packing	EUR
530	20	0,67	50	1,1
610	20	0,67	50	1,4
760	20	0,67	50	1,6
800	20	0,67	50	1,7
914	20	0,67	50	1,8
914	20	0,67	50	1,8

5251



### Small bow frame saw

L (mm)	V (mm)	pcs in packing	EUR
500	195	12	3,3


5249.1



### Blade for small bow frame saw

L (mm)	H (mm)	S (mm)	pcs in packing	EUR
500	18	0,6	50	1,1

5263



### Barring garden saw with tensioning lever











L (mm)	V (mm)	pcs in packing	EUR
300	163	20	4,1













5267













### Barring garden saw with tensioning lever and tube for stick

L (mm)	V (mm)	pcs in packing	EUR
300	160	10	3,8

<b>5265</b> 	<b>Pruning garden saw</b>				
	<b>L (mm)</b>	<b>V (mm)</b>		<b>pcs in packing</b>	<b>EUR</b>
	300	143		10	2,8
<b>5260</b> 	<b>Spare saw blade for garden saw</b>				
	<b>L (mm)</b>	<b>H (mm)</b>	<b>T (mm)</b>	<b>pcs in packing</b>	<b>EUR</b>
	300	15	5	100	0,8
<b>5261</b> 	300	15	4	100	0,7
<b>5262.15</b> 	300	15	5	100	0,7
<b>5264</b> 	<b>Pruning garden saw</b>				
	<b>L (mm)</b>	<b>V (mm)</b>		<b>pcs in packing</b>	<b>EUR</b>
	165	58		10	1,5
<b>5264.1</b> 	<b>Spare saw blade for pruning garden saw</b>				
	<b>L (mm)</b>	<b>H (mm)</b>	<b>T (mm)</b>	<b>pcs in packing</b>	<b>EUR</b>
	165	7,5	2	100	0,4
<b>5296</b> 	<b>Folding pruning saw</b>				
	<b>L (mm)</b>	<b>S (mm)</b>	<b>T (mm)</b>	<b>pcs in packing</b>	<b>EUR</b>
	170	1,3	3,6	10	3,4
<b>5297</b> 	<b>Pruning saw</b>				
	<b>L (mm)</b>	<b>H (mm)</b>	<b>T (mm)</b>	<b>pcs in packing</b>	<b>EUR</b>
	300	1,2	3,6	10	3,4
<b>5298</b> 	<b>Curved pruning saw</b>				
	<b>L (mm)</b>	<b>H (mm)</b>	<b>T (mm)</b>	<b>pcs in packing</b>	<b>EUR</b>
	330	1,2	3,6	10	3,8
<b>5299</b> 	<b>Pruning saw with tube stick</b>				
	<b>L (mm)</b>	<b>S (mm)</b>	<b>T (mm)</b>	<b>pcs in packing</b>	<b>EUR</b>
	300	1,2	5	10	2,8

 <p><b>2956</b></p>	<b>Hack saw frame</b>			
	L (mm)	V (mm)	pcs in packing	EUR
	300	115	5	3,4
 <p><b>2957</b></p>	<b>Hack saw frame - ALU Profil</b>			
	L (mm)	V (mm)	pcs in packing	EUR
	300	158	5	5,4
<b>Hand hacksaw blades</b>				
	Dimensions (mm)	Teeth per inch	Pcs in packing	EUR
 <p><b>22 2950 HSS single-sided</b></p>	300 x 13 x 0,65	18	100	0,72
	300 x 13 x 0,65	24	100	0,72
	300 x 13 x 0,65	32	100	0,72
 <p><b>22 2951 HSS double-sided</b></p>	300 x 25 x 0,65	18	100	1,30
	300 x 25 x 0,65	24	100	1,30
				0,00
 <p><b>22 2950 Cr (Alloyed) single-sided</b></p>	300 x 13 x 0,65	18	100	0,11
	300 x 13 x 0,65	24	100	0,11
	300 x 13 x 0,65	32	100	0,11
 <p><b>22 2951 Cr (Alloyed) double-sided</b></p>	300 x 20 x 0,65	18	100	0,13
	300 x 20 x 0,65	24	100	0,13
	300 x 20 x 0,65	32	100	0,13
	300 x 25 x 0,65	18	100	0,15
	300 x 25 x 0,65	24	100	0,15
 <p><b>22 2950 Bi-Metal</b></p>	300 x 13 x 0,65	24	100	0,66
	SET of 3 pcs 300 x 13 x 0,65	24		2,1
 <p><b>5280</b></p>	<b>Straight back saw</b>			
	L (mm)	S (mm)	T (mm)	pcs in packing
	250	0,65	2,05	10
 <p><b>5281</b></p>	<b>Back saw with bended handle</b>			
	L (mm)	S (mm)	T (mm)	pcs in packing
	250	0,65	2,05	10
 <p><b>5282</b></p>	<b>Back saw with toggle handle</b>			
	L (mm)	S (mm)	T (mm)	pcs in packing
	250	0,65	2,05	10
 <p><b>5283</b></p>	<b>Tenon saw</b>			
	L (mm)	S (mm)	TPI	pcs in packing
	300	1,0	12	10
 <p><b>5284</b></p>	<b>Tenon - Veneer saw</b>			
	L (mm)	S (mm)	T (mm)	pcs in packing
	320	1,0	12	10

<b>6053</b> 	<b>Mitre box</b>			
	<b>L (mm)</b>	<b>H (mm)</b>	<b>pcs in packing</b>	<b>EUR</b>
	250	97/65	5	3,6
<b>5 285</b> 	<b>Foxtails saw with opened handle</b>			
	<b>L (mm)</b>	<b>S (mm)</b>	<b>TPI</b>	<b>pcs in packing</b>
	250	0,8	9	10
<b>5286.A</b> 	<b>Foxtails saw with closed plastic handle</b>			
	<b>L (mm)</b>	<b>S (mm)</b>	<b>TPI</b>	<b>pcs in packing</b>
	300	0,8	12	10
<b>5286.A</b> 	<b>Foxtails saw with closed plastic handle</b>			
	<b>L (mm)</b>	<b>S (mm)</b>	<b>TPI</b>	<b>pcs in packing</b>
	400	0,8	9	10
	450	0,8	9	10
<b>5286.B</b> 	<b>Foxtails saw with closed wooden handle</b>			
	<b>L (mm)</b>	<b>S (mm)</b>	<b>TPI</b>	<b>pcs in packing</b>
	400	0,8	9	15
	500	1,0	7	15
<b>5291</b> 	<b>Keyhole saw</b>			
	<b>L (mm)</b>	<b>S (mm)</b>	<b>TPI</b>	<b>pcs in packing</b>
	250	1,1	7	10
<b>5292</b> 	<b>Foxtail saw with three exchangeable blades</b>			
	<b>L (mm)</b>	<b>S (mm)</b>	<b>T (mm)</b>	<b>pcs in packing</b>
	250	0,6	2,05	5
	315	1,2	3,60	
315	0,8	3,00		
<b>5269</b> 	<b>Fret saw frame</b>			
	<b>L (mm)</b>	<b>V (mm)</b>	<b>pcs in packing</b>	<b>EUR</b>
	120	300	10	1,9
<b>5257</b> 	<b>Butcher saw</b>			
	<b>L (mm)</b>	<b>V (mm)</b>	<b>pcs in packing</b>	<b>EUR</b>
	450	158	15	6,0
<b>5256</b> 	<b>Butcher saw blade</b>			
	<b>L (mm)</b>	<b>H (mm)</b>	<b>T (mm)</b>	<b>pcs in packing</b>
	450	20	2,5	50

**Foxtail hand saws with tungsten carbide tips**

<b>5289</b>	<b>Number of teeth</b>	<b>L (mm)</b>	<b>pcs in packing</b>	<b>EUR</b>
	<b>34/17 with carbide tips</b>	<b>630</b>	<b>2</b>	<b>16,2</b>
	<b>34/34 with carbide tips</b>	<b>630</b>	<b>2</b>	<b>19,9</b>



<b>5287</b>	<b>Number of teeth</b>	<b>L (mm)</b>	<b>pcs in packing</b>	<b>EUR</b>
	<b>22/11 with carbide tips</b>	<b>450</b>	<b>5</b>	<b>10,8</b>
	<b>22/22 with carbide tips</b>	<b>450</b>	<b>5</b>	<b>13,2</b>



**Foxtail hand saw without carbide tips**

<b>5288</b>	<b>Počet zubů</b>	<b>L (mm)</b>	<b>pcs in packing</b>	<b>EUR</b>
	<b>34 without carbide tips HARDENED TEETH 62-64 HRC</b>	<b>630</b>	<b>2</b>	<b>13,5</b>



**Hollow brick saw (PORO-THERM)**

<b>5290</b>	<b>Number of teeth</b>	<b>L (mm)</b>	<b>pcs in packing</b>	<b>EUR</b>
	<b>74</b>	<b>600</b>	<b>10</b>	<b>8,4</b>



**SAW FOR INSULATION MATERIALS - Polystyrene, Wool, PUR Foam**

<b>5293</b>	<b>L (mm)</b>	<b>S (mm)</b>	<b>TPI</b>	<b>pcs in packing</b>	<b>EUR</b>
	<b>400 mm</b>	<b>0,80</b>	<b>13</b>	<b>10</b>	<b>4,1</b>
	<b>450 mm</b>	<b>0,80</b>	<b>13</b>	<b>10</b>	<b>4,4</b>
	<b>500 mm</b>	<b>1,00</b>	<b>13</b>	<b>10</b>	<b>4,7</b>

