






































 <b>22 5254</b> 		HAND SAWS			Price/piece
		Bow frame saw			
L (mm)	V (mm)	Pcs in packing	EUR		
610	215	12	3,85		
760	230	12	3,95		
914	250	12	4,45		
<b>22 5244.1</b>  		Blade for bow frame saw			
		L (mm)	H (mm)	S (mm)	Pcs in packing
610	20	0,7	50	1,22	
760	20	0,7	50	1,43	
800	20	0,7	50	1,50	
900	20	0,7	50	1,60	
914	20	0,7	50	1,65	
1000	20	0,7	50	1,75	
<b>22 5251</b> 		Small bow frame saw			
		L (mm)	V (mm)	Pcs in packing	EUR
500	195	12	4,60		
<b>22 5249.1</b> 		Blade for small bow frame saw			
		L (mm)	H (mm)	S (mm)	Pcs in packing
500	18	0,7	50	1,1	
<b>22 5263</b> 		Barring garden saw with tensioning lever			
		L (mm)	V (mm)	Pcs in packing	EUR
300	163	20	5,40		
<b>22 5267</b> 		Barring garden saw with tensioning lever and tube for stick			
		L (mm)	V (mm)	Pcs in packing	EUR
300	160	10	5,15		
<b>22 5265</b> 		Pruning garden saw			
		L (mm)	V (mm)	Pcs in packing	EUR
300	143	10	2,51		
<b>22 5260</b>  <b>22 5261</b>  <b>22 5262.15</b> 		Spare saw blades for garden saws			
		L (mm)	H (mm)	T (mm)	Pcs in packing
300	15	5	100	0,70	
300	15	4	100	0,70	
300	15	5	100	0,70	
<b>22 5264</b> 		Pruning garden saw			
		L (mm)	V (mm)	Pcs in packing	EUR
165	58	10	1,75		
<b>22 5264.1</b>  		Blade for pruning garden saw			
		L (mm)	H (mm)	T (mm)	Pcs in packing
165	7,5	2	100	0,30	
<b>22 5296</b> 		Folding pruning saw			
		L (mm)	S (mm)	T (mm)	Pcs in packing
170	1,3	3,6	10	5,50	
<b>22 5297</b> 		Pruning saw			
		L (mm)	H (mm)	T (mm)	Pcs in packing
300	1,2	3,6	10	3,30	
<b>22 5299</b> 		Pruning saw with tube for a stick			
		L (mm)	S (mm)	T (mm)	Pcs in packing
300	1,2	5	10	3,65	

L - length of the blade, V - height of the saw, H - width of the blade, S - thickness of the blade, T - cutting-edge spacing

22 2956 	Hacksaw frame				
	L (mm)	V (mm)		Pcs in packing	EUR
	300	115		5	4,10
22 2957 	Hacksaw – ALU Profil				
	L (mm)	V (mm)		Pcs in packing	EUR
	300	158		5	10,00
22 2950 Cr jednostranný	300	13			0,12
22 2950 HSS jednostranný	300	13		100	0,75
22 2950 Bi-Metal jednostr.	300	13		100	0,70
22 2951 Cr oboustranný	300	20		100	0,14
	300	25		72	0,15
22 2951 HSS oboustranný	300	25		100	1,35
22 5280 	Straight back saw				
	L (mm)	S (mm)	T (mm)	Pcs in packing	EUR
	250	0,65	2,05	10	1,70
22 5281 	Back saw with bended handle				
	L (mm)	S (mm)	T (mm)	Pcs in packing	EUR
	250	0,65	2,05	10	2,25
22 5282 	Back saw with toggle handle				
	L (mm)	S (mm)	T (mm)	Pcs in packing	EUR
	250	0,65	2,05	10	2,82
31 6053 	Mitre box				
	L (mm)	H (mm)		Pcs in packing	EUR
	250	97/65		5	3,63
22 5285 A 	Foxtail saw with opened plastic handle				
	L (mm)	S (mm)	T (mm)	Pcs in packing	EUR
	250	0,8	3,15	10	2,61
315	0,8	3,15	2,81		
22 5286.1 A 	Foxtail saw with closed two-component plastic handle				
	L (mm)	S (mm)	T (mm)	Pcs in packing	EUR
	300	0,9	3,6	10	2,61
22 5286.1 A 	Foxtail saw with closed plastic handle				
	L (mm)	S (mm)	T (mm)	Pcs in packing	EUR
	400	0,9	3,6	10	3,30
	450	0,9	3,6	5	3,40
	500	0,9	3,6	5	3,50
22 5286.1 B 	Foxtail saw with closed wooden handle				
	L (mm)	S (mm)	T (mm)	Pcs in packing	EUR
	400	0,9	3,6	10	4,42
	500	0,9	3,6	5	4,85
22 5291.1 A 	Keyhole saw with plastic handle				
	L (mm)	S (mm)	T (mm)	Pcs in packing	EUR
	250	1,1	3,2	10	2,80
315	1,1	3,2	2,95		
22 5292 	Foxtail saw with three exchangeable blades				
	L (mm)	S (mm)	T (mm)	Pcs in packing	EUR
	250	0,6	2,05	5	4,80
	315	1,2	3,60		
315	0,8	3,00			
22 5269 	Fret saw frame				
	L (mm)	V (mm)		Pcs in packing	EUR
	120	300		10	2,25

L - length of the blade, V - height of the saw, H - width of the blade, S - thickness of the blade, T - cutting-edge spacing

<b>22 5276</b>		<b>Joinery frame saw</b>					
		L (mm)	V (mm)	Pcs in packing	EUR		
		800	375	10	7,60		
<b>22 5270</b>		<b>Joinery frame saw blades</b>					
		L (mm)	H (mm)	T (mm)	Pcs in packing	EUR	
		800	40	5,00	50	1,40	
		<b>22 5271</b>	800	40		3,15	1,40
		<b>22 5272</b>	800	40		6,30	1,55
		<b>22 5273</b>	800	8		2,50	0,91
<b>22 5277</b>		<b>Folding joinery frame saw</b>					
		L (mm)	V (mm)	Pcs in packing	EUR		
		500	300	10	7,40		
<b>22 5277.1</b>		<b>Folding joinery frame saw blades</b>					
		L (mm)	H (mm)	T (mm)	Pcs in packing	EUR	
		500	20	5,00	50	1,00	
		<b>23 5277.2</b>	500	20		3,15	1,00
		<b>24 5277.3</b>	500	8		2,50	0,86
<b>22 5257</b>		<b>Butcher's saw</b>					
		L (mm)	V (mm)	Pcs in packing	EUR		
		450	158	15	7,90		
<b>22 5256</b>		<b>Butcher's saw blade</b>					
		L (mm)	H (mm)	T (mm)	Pcs in packing	EUR	
		450	20	2,5	50	1,20	
<b>Foxtail hand saws with carbide tips for cutting porous concrete and insulation boards</b>							
<b>225 289</b>		Number of teeth	L (mm)	Pcs in packing	EUR		
		34 / 17 with carbide tips	630	2	15,00		
		34 / 34 with carbide tips	630	2	18,00		
							
<b>22 5287</b>		Number of teeth	L (mm)	Pcs in packing	EUR		
		22 / 11 with carbide tips	450	5	9,10		
		22 / 22 with carbide tips	450	5	10,70		
							
<b>22 5288</b>		Number of teeth	L (mm)	Pcs in packing	EUR		
		34 without carbide tips	630	2	10,25		
							

L - length of the blade, V - height of the saw, H - width of the blade, S - thickness of the blade, T - cutting-edge spacing